







A = Área, P = Perímetro, V = Volumen

Figuras del plano

<p>Cuadrado</p> 	$A = a^2$ $P = 4a$	<p>Ángulo interno $\alpha = 90^\circ$</p> <p>Ángulo externo $\beta = 90^\circ$</p> <p>Núm. diagonales $ND = 2$</p>
<p>Rectángulo</p> 	$A = b \cdot h$ $P = 2b + 2h$	
<p>Paralelogramo</p> 	$A = b \cdot h$ $P = 2b + 2a$	
<p>Rombo</p> 	$A = \frac{d \cdot D}{2}$ $P = 4a$ $4a^2 = d^2 + D^2$	
<p>Trapezio</p> 	$A = \frac{b + B}{2} h$ $P = a + b + B + c$	

Trapezio recto




$$A = \frac{b+B}{2}h$$

$$P = a + b + B + h$$

$$a^2 = (B-b)^2 + h^2$$

Triángulo equilátero



$$A = \frac{a \cdot h}{2} = \frac{\sqrt{3}}{4}a^2$$

$$P = 3a$$


$$h = \frac{\sqrt{3}}{2}a$$

Ángulo interno $\alpha = 60^\circ$

Ángulo externo $\beta = 120^\circ$

Núm. diagonales $ND = 0$

Triángulo isósceles




$$A = \frac{b \cdot h}{2} = \frac{a \cdot b \cdot \text{sen } A}{2}$$

$$P = 2a + b, \quad h = a \cdot \text{sen } A$$

$$4a^2 = 4h^2 + b^2$$

Triángulo escaleno




$$A = \frac{b \cdot h}{2}$$

$$A = \sqrt{s(s-a)(s-b)(s-c)} \quad s = \frac{a+b+c}{2}$$

$$P = a + b + c \quad h = c \cdot \text{sen } A = a \cdot \text{sen } C$$

Triángulo rectángulo




$$A = \frac{b \cdot a}{2} \quad a = c \cdot \text{sen } A = c \cdot \cos B$$

$$P = a + b + c \quad b = c \cdot \text{sen } B = c \cdot \cos A$$

$$c^2 = a^2 + b^2$$

Pentágono regular








$$A = \frac{5a \cdot b}{2} = \frac{5}{8}r^2 \sqrt{10 + 2\sqrt{5}} = \frac{5}{2}r^2 \cdot \text{sen } 72^\circ$$


$$P = 5b \quad 4r^2 = 4a^2 + b^2 \quad \text{Ángulo interno } \alpha = 108^\circ$$

$$b = \frac{r}{2} \sqrt{10 - 2\sqrt{5}} = 2r \cdot \text{sen } 36^\circ \quad \text{Ángulo externo } \beta = 72^\circ$$

$$a = \frac{r}{4} \sqrt{6 + 2\sqrt{5}} = r \cdot \cos 36^\circ \quad \text{Núm. diagonales } ND = 5$$

<p>Hexágono regular</p> 	$A = \frac{3\sqrt{3}}{2} b^2 = 3b^2 \cdot \text{sen } 60^\circ$ $P = 6b$ $a = \frac{\sqrt{3}}{2} b = b \cdot \text{cos } 30^\circ$	<p>Ángulo interno $\alpha = 120^\circ$</p> <p>Ángulo externo $\beta = 60^\circ$</p> <p>Núm. diagonales $ND = 9$</p>
<p>Octágono regular</p> 	$A = 4 \cdot a \cdot b = 8 \cdot a^2 \cdot \tan 22,5^\circ = (8\sqrt{2} - 8) a^2 = \frac{2b^2}{\tan 22,5^\circ} = \frac{2b^2}{\sqrt{2} - 1}$ $P = 8 \cdot b = 16 \cdot a \cdot \tan 22,5^\circ$ $a = r \cdot \text{cos } 22,5^\circ$ $b = 2r \cdot \text{sen } 22,5^\circ$	<p>Ángulo interno $\alpha = 135^\circ$</p> <p>Ángulo externo $\beta = 45^\circ$</p> <p>Núm. diagonales $ND = 20$</p>
<p>Polígono regular de n lados</p> 	$A = \frac{n \cdot a \cdot b}{2} = n \cdot a^2 \cdot \tan \frac{180^\circ}{n}$ $P = n \cdot b = 2n \cdot a \cdot \tan \frac{180^\circ}{n}$ $a = r \cdot \text{cos} \frac{180^\circ}{n} \quad b = 2r \cdot \text{sen} \frac{180^\circ}{n}$	<p>Ángulo interno :</p> $\alpha = \frac{(n-2) \cdot 180^\circ}{n}$ <p>Ángulo externo :</p> $\beta = 180^\circ - \alpha$ <p>Núm. diagonales :</p> $ND = \frac{n \cdot (n-3)}{2}$
<p>Círculo</p> 	$A = \pi r^2$ $P = 2\pi r$	
<p>Sector circular</p> 	$A = \pi r^2 \frac{\alpha}{360^\circ}$ $L = \pi r \frac{\alpha}{180^\circ}$ $P = 2r + L$ <p>α en grados sexagesimales</p>	

Segmento circular



$$A = r^2 \left(\frac{\pi \cdot \alpha}{360^\circ} - \frac{\text{sen } \alpha}{2} \right)$$

$$h = r \left(1 - \cos \frac{\alpha}{2} \right)$$

$$P = L + c$$


$$c = 2r \cdot \text{sen} \frac{\alpha}{2}$$

$$r = \frac{h}{2} + \frac{c^2}{8h}$$

$$L = \pi r \frac{\alpha}{180^\circ}$$

α en grados sexagesimales

Triángulo circular




$$A = r^2 \frac{\text{sen } \alpha}{2}$$

$$P = 2r + c$$

$$c = 2r \cdot \text{sen} \frac{\alpha}{2}$$

α en grados sexagesimales

Trapezio circular




$$A = \pi (R^2 - r^2) \frac{\alpha}{360^\circ}$$

$$P = 2\pi (R + r) \frac{\alpha}{360^\circ} + 2(R - r)$$

α en grados sexagesimales


Corona circular



$$A = \pi (R^2 - r^2)$$

$$P = 2\pi (R + r)$$

Elipse




$$A = \pi a \cdot b$$

$$P \cong \pi (a + b)$$

$$P = 4 \int_0^{\pi/2} \sqrt{a^2 \text{sen}^2 t + b^2 \text{cos}^2 t} dt$$


Cubo (hexaedro)



$$A = 6 a^2$$

$$V = a^3$$


Prisma recto



$$A = 2a \cdot b + 2a \cdot c + 2b \cdot c$$

$$V = a \cdot b \cdot c$$


Esfera



$$A = 4\pi \cdot r^2$$

$$V = \frac{4\pi \cdot r^3}{3}$$

Cilindro




$$A_{TOTAL} = 2\pi r (h + r)$$

$$A_{BASES} = 2\pi r^2$$

$$A_{LATERAL} = 2\pi r \cdot h$$

$$V = \pi \cdot r^2 \cdot h$$

Cono



$$A_{TOTAL} = \pi r \cdot g + \pi r^2$$


$$A_{BASE} = \pi r^2$$

$$A_{LATERAL} = \pi r \cdot g$$

$$V = \frac{\pi r^2 \cdot h}{3}$$

$$g^2 = h^2 + r^2$$

Pirámide




$$A_{TOTAL} = A_{LAT} + A_{BASE}$$

$$A_{LAT} = \frac{\text{Perímetro}_{BASE} \cdot h_c}{2}$$

$$V = \frac{A_{BASE} \cdot h}{3}$$

Segmento esférico




$$A_{TOTAL} = A_{SUP.CURVA} + A_{BASE}$$

$$A_{BASE} = \frac{\pi c^2}{4} \quad A_{SUP.CURVA} = 2\pi r \cdot h = \frac{\pi}{4}(c^2 + 4h^2)$$

$$V = \frac{\pi}{6} h \left(\frac{3c^2}{4} + h^2 \right) = \pi h^2 \left(r - \frac{h}{3} \right) \quad r = \frac{h}{2} + \frac{c^2}{8h}$$

Toro




$$A = \pi^2 D \cdot d = \pi^2 (R^2 - r^2)$$

$$V = \frac{\pi^2}{4} D \cdot d^2 = \frac{\pi^2}{4} (R+r) \cdot (R-r)^2$$

$$D = R + r, \quad d = R - r$$

Tetraedro




$$A = \sqrt{3} a^2$$

$$A_{CARA} = \frac{\sqrt{3}}{4} a^2 \quad h_c = \frac{\sqrt{3}}{2} a \quad h = \frac{\sqrt{6}}{3} a$$

$$V = \frac{\sqrt{2}}{12} a^3$$

Octaedro




$$A = 2\sqrt{3} a^2$$

$$A_{CARA} = \frac{\sqrt{3}}{4} a^2$$

$$V = \frac{\sqrt{2}}{3} a^3$$

Dodecaedro




$$A = 3\sqrt{25 + 10\sqrt{5}} a^2$$

$$A_{CARA} = \frac{\sqrt{25 + 10\sqrt{5}}}{4} a^2$$

$$V = \frac{15 + 7\sqrt{5}}{4} a^3$$

Icosaedro



$$A = 5\sqrt{3} a^2$$

$$A_{CARA} = \frac{\sqrt{3}}{4} a^2$$

$$V = \frac{5}{12} (3 + \sqrt{5}) a^3$$